	Application No.	Applicant(s)
Notice of Allowability	10/724,082	KOBAYASHI ET AL.
	Examiner	Art Unit
	Elizabeth D. Wood	1755
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 6/15/05.		
2. The allowed claim(s) is/are <u>14-19,22,23 and 28-45</u> .		
3. The drawings filed on are accepted by the Examiner.		
4.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Summary Paper No./Mail Dat 08), 7. ⊠ Examiner's Amendr	te

Application/Control Number: 10/724,082

Art Unit: 1755

The following is an examiner's statement of reasons for allowance:

The prior art of record, either alone or in combination, fails to anticipate or render obvious the instantly claimed crystallized glass and optical filter containing the glass. The closest prior art of record constitutes U.S. 4,310,595 to Beall. As argued by applicants on pages 12-13, Beall is clearly deficient in that the molar ratio of K₂O:Na₂O is clearly distinct from that claimed herein by applicants. Further, as argued by applicants, Beall doesn't require CaO+SrO+BaO to be 0.1 to 10 mol%. Additionally Beall does not disclose the specific transmittance claimed in the instant application. Finally, as argued by applicants, Beall would appear to teach away from the instant claims requiring a K₂O:Na₂O of greater than or equal to 1.5.

Based on the claim amendments restricting the glass to the claimed composition, it is considered that there is no reason to believe from the disclosure of Beall that one can arrive at a glass having the herein claimed transmittance. Accordingly, the preponderance of the evidence on this record supports the patentability of the herein claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Umbach on September 21, 2005.

The application has been amended as follows:

Cancel claims 20, 21 and 24-27.

Art Unit: 1755

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth D. Wood whose telephone number is 571-272-1377. The examiner can normally be reached on M-F, 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jerry Lorengo can be reached on 571-272-1233. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-

Elizabeth D. Wood Primary Examiner Art Unit 1755

edw

free).